



Case Scenarios -1

- Low grade fever following immunization. Parents convinced that fever will occur under normal circumstances. They call ANM asking if they can give PCM to the child.
 - **AEFI register, HMIS under “others”**
- Fever with pain and some swelling in child after immunization. Subsided within a day with Paracetamol. The ANM was informed of this on the next vaccination session.
 - **AEFI register, HMIS under “others”**
- Fever with seizures following immunization. Child hospitalised. ASHA/AWW informed the ANM about this.
 - **AEFI register, CRF and HMIS under “others”**
- High grade fever following immunization. Parents panic and insist on hospitalization for treatment. MO informed.
 - **AEFI register, CRF and HMIS under “others”**



Case Scenario - 2

- Child died within 3 days of receiving vaccination. Child started cough, breathlessness, cough, breathlessness, poor feeding and fever. He was taken to a physician, who prescribed X ray chest. It revealed Pneumonia. Referral was advised but not done. It was only a coincidence that the child died after vaccination.
 - **AEFI register, CRF and HMIS under “death”, urge parents for Autopsy and Inform DIO**
- Local pain and induration at the site of vaccination in a child within 3 days of being vaccinated at an outreach session.
 - **AEFI register, HMIS under “others”**
- A case of abscess in a child given DPT after 3 days. No other cases reported from any other part of the block or district.
 - **CRF, AEFI register, HMIS under “abscess”**



Case Scenario - 3

- Three cases of abscess in children after DPT in same sub centre area over a period of two weeks.
 - **AEFI register, CRF and HMIS under “abscess”**
- Three children receive Hep B vaccine orally instead of OPV. All are safe and do not suffer from any side effects. There is a lot of community concern leading to media coverage.
 - **AEFI register, CRF and HMIS under “others”**
- Foot drop after DPT booster gluteal injection in a six year old child.
 - **AEFI register, CRF and HMIS under “others”**
- An adult dies within half an hour of receiving rabies vaccination
 - **AEFI register, CRF and HMIS under “death” and inform DIO**



Thank you