

**‘Let’s be aware’
Know about a life-saving
vaccine**

स्वस्थ बचपन-सुनहरा भविष्य.



Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

BCG

Vaccine	Protection from	When to administer
BCG- (Bacillus Calmette-Guerin) Vaccine	Severe form of Childhood Tuberculosis	At Birth or as early as possible till one year of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Lets be aware!

Know your child's vaccination type, schedule and what it protects them from

Hepatitis B

Vaccine	Protection from	When to administer
Hepatitis B Vaccine	Hepatitis B	Within 24 hrs of birth in institutional deliveries, followed by 3 doses, given as part of Pentavalent vaccine at 6, 10, and 14 wks

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Oral Polio Vaccine (OPV)

Vaccine	Protection from	When to administer
Oral Polio Vaccine (OPV)	Poliomyelitis	At birth, followed by doses at 6, 10 and 14 weeks of age and OPV booster dose at 16-24 months and 5 yrs of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Inactivated Polio Vaccine (IPV)

Vaccine	Protection from	When to administer
Inactivated Polio Vaccine (IPV)	Poliomyelitis	Two fractional doses of IPV given at 6 and 14 weeks and 3rd dose at 9 months of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Diphtheria

Vaccine	Protection from	When to administer
Diphtheria Vaccine	Diphtheria (गलघोंटू)	3 doses of Pentavalent vaccine at 6, 10, and 14 weeks of age. DPT vaccine at 16-24 months and 5-7 years. TD vaccine at 10 & 16 years of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!
Know your child's vaccination type, schedule and what it protects them from

Pertussis

Vaccine	Protection from	When to administer
Pertussis Vaccine	Pertussis (Whooping Cough)	3 doses of Pentavalent vaccine at 6, 10, and 14 weeks of age. DPT vaccine at 16-24 months and 5-7 years

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Tetanus

Vaccine	Protection from	When to administer
Tetanus Toxoid Vaccine	Tetanus	3 doses of Pentavalent vaccine at 6, 10, and 14 weeks of age. DPT vaccine at 16-24 months and 5-7 years. TD vaccine at 10 & 16 years of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Haemophilus influenza type B

Vaccine	Protection from	When to administer
Hib Conjugate Vaccine	Pneumonia, Meningitis caused by Haemophilus influenzae type B	Three doses are given as part of Pentavalent vaccine at 6, 10, and 14 weeks of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Pneumococcal Conjugate Vaccine (PCV)

Vaccine	Protection from	When to administer
Pneumococcal Conjugate Vaccine (PCV)	Pneumonia, Meningitis caused by Streptococcus pneumoniae bacteria	Two doses at 6 and 14 weeks followed by a booster dose at 9-12 months of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Rotavirus Vaccine (RVV)

Vaccine	Protection from	When to administer
Rotavirus Vaccine (RVV)	Diarrhoea caused by Rotavirus	Three doses of vaccine given at 6, 10, and 14 weeks of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Measles & Rubella (MR) Vaccine

Vaccine	Protection from	When to administer
Measles & Rubella (MR) Vaccine	Measles & Rubella infections	First dose at 9 completed months to 12 months and second dose is given at 16-24 months

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future





Let's be aware!

Know your child's vaccination type, schedule and what it protects them from

Japanese Encephalitis Vaccine (JE)

Vaccine	Protection from	When to administer
Japanese Encephalitis vaccine (JE)	Japanese Encephalitis	First dose at 9 -12 months and second dose at 16-24 months of age

स्वस्थ बचपन - सुनहरा भविष्य
Healthy Childhood Bright Future

